

Titles of Most Frequently Occurring Classifications of Patents Returned

From A Search of 09777747 on April 10, 2002

- 17 180/219 (9 OR, 8 XR)
  - Class 180 : MOTOR VEHICLES
  - 180/21 SPECIAL WHEEL BASE
  - 180/218 .Having only two wheels
  - 180/219 ..Arranged in tandem
- 10 180/226 (6 OR, 4 XR)
  - Class 180 : MOTOR VEHICLES
  - 180/21 SPECIAL WHEEL BASE
  - 180/218 .Having only two wheels
  - 180/219 ..Arranged in tandem
  - 180/226 ...Including longitudinally extending shaft for transmitting drive to wheel
- 10 180/227 (4 OR, 6 XR)
  - Class 180 : MOTOR VEHICLES
  - 180/21 SPECIAL WHEEL BASE
  - 180/218 .Having only two wheels
  - 180/219 ..Arranged in tandem
  - 180/227 ...Including resilient means for mounting driven wheel
- 9 180/230 (4 OR, 5 XR)
  - Class 180 : MOTOR VEHICLES
  - 180/21 SPECIAL WHEEL BASE
  - 180/218 .Having only two wheels
  - 180/219 ..Arranged in tandem
  - 180/230 ...With change-speed means between motor and driven wheel
- 8 280/284 (2 OR, 6 XR)
  - Class 280 : LAND VEHICLES
  - 280/29 WHEELED
  - 280/200 .Occupant propelled type
  - 280/281.1 ..Frames and running gear
  - 280/283 ...Yielding
  - 280/284 ....Rear forks
- 6 446/440 (3 OR, 3 XR)
  - Class 446 : AMUSEMENT DEVICES: TOYS
  - 446/431 ROLLING OR TUMBLING (E.G., WHEELED)
  - 446/440 .Motorcycle, tricycle or bicycle

09777747\_CLSTITLES.txt

- 4 180/215 (2 OR, 2 XR)  
 Class 180 : MOTOR VEHICLES  
 180/21 SPECIAL WHEEL BASE  
 180/210 .Having only three wheels  
 180/215 ..Including two wheels driven and having common  
 axis of rotation
- 4 180/65.2 (1 OR, 3 XR)  
 Class 180 : MOTOR VEHICLES  
 180/54.1 POWER  
 180/65.1 .Electric  
 180/65.2 ..Combined with nonelectric drive means
- 4 280/259 (3 OR, 1 XR)  
 Class 280 : LAND VEHICLES  
 280/29 WHEELED  
 280/200 .Occupant propelled type  
 280/210 ..With propulsion means  
 280/259 ...Rotary crank power
- 4 280/261 (1 OR, 3 XR)  
 Class 280 : LAND VEHICLES  
 280/29 WHEELED  
 280/200 .Occupant propelled type  
 280/210 ..With propulsion means  
 280/259 ...Rotary crank power  
 280/260 ....With gearing  
 280/261 .....Belt or chain
- 3 74/337.5 (0 OR, 3 XR)  
 Class 074 : MACHINE ELEMENT OR MECHANISM  
 74/640 GEARING  
 74/325 .Interchangeably locked  
 74/335 ..Control mechanism  
 74/337.5 ...Cam operated
- 3 74/606R (1 OR, 2 XR)  
 Class 074 : MACHINE ELEMENT OR MECHANISM  
 74/469 CONTROL LEVER AND LINKAGE SYSTEMS  
 74/606R .Gear casings
- 3 74/665GE (0 OR, 3 XR)  
 Class 074 : MACHINE ELEMENT OR MECHANISM  
 74/640 GEARING  
 74/665R .Plural power paths to and/or from gearing  
 74/665F ..Single drive plural driven

09777747\_CLSTITLES.txt

74/665G           ...Parallel  
74/665GE          ....Belt or chain

3 180/209           (2 OR, 1 XR)  
Class 180 : MOTOR VEHICLES  
180/21           SPECIAL WHEEL BASE  
180/209           .With means for changing number of supporting  
                  wheels, or for adjusting relative location  
thereof

3 180/210           (0 OR, 3 XR)  
Class 180 : MOTOR VEHICLES  
180/21           SPECIAL WHEEL BASE  
180/210           .Having only three wheels

3 180/224           (2 OR, 1 XR)  
Class 180 : MOTOR VEHICLES  
180/21           SPECIAL WHEEL BASE  
180/218           .Having only two wheels  
180/219           ..Arranged in tandem  
180/223           ...Including steerable and driven wheel  
180/224           ....Both wheels motor driven

3 280/260           (0 OR, 3 XR)  
Class 280 : LAND VEHICLES  
280/29           WHEELED  
280/200           .Occupant propelled type  
280/210           ..With propulsion means  
280/259           ...Rotary crank power  
280/260           ....With gearing

3 280/282           (0 OR, 3 XR)  
Class 280 : LAND VEHICLES  
280/29           WHEELED  
280/200           .Occupant propelled type  
280/281.1         ..Frames and running gear  
280/282           ...Polycycles

3 296/78.1          (1 OR, 2 XR)  
Class 296 : LAND VEHICLES: BODIES AND TOPS  
296/1.1          BODIES  
296/77.1          .Storm-front shield, apron, or robe  
296/78.1          ..Velocipede type

3 446/462           (0 OR, 3 XR)  
Class 446 : AMUSEMENT DEVICES: TOYS  
446/431           ROLLING OR TUMBLING (E.G., WHEELED)  
446/457           .Including intrinsic motive power means for

09777747\_CLSTITLES.txt

propulsion

446/462 ..Having intrinsic energy-storing battery or  
flywheel

- 2 73/862.09 (2 OR, 0 XR)  
Class 073 : MEASURING AND TESTING  
73/862 DYNAMOMETERS  
73/862.08 .Responsive to torque  
73/862.09 ..By absorption
- 2 74/15.84 (0 OR, 2 XR)  
Class 074 : MACHINE ELEMENT OR MECHANISM  
74/11 POWER TAKE-OFF  
74/15.8 .Intermediate ends of power transmitting line  
  
74/15.82 ..Vehicle propulsion transmitting line  
74/15.84 ...Between prime mover shaft and transmission
- 2 74/443 (0 OR, 2 XR)  
Class 074 : MACHINE ELEMENT OR MECHANISM  
74/640 GEARING  
74/434 .Rotary bodies  
74/439 ..Sectional  
74/443 ...Sound deadening
- 2 74/6 (2 OR, 0 XR)  
Class 074 : MACHINE ELEMENT OR MECHANISM  
74/6 ENGINE STARTERS
- 2 74/661 (0 OR, 2 XR)  
Class 074 : MACHINE ELEMENT OR MECHANISM  
74/640 GEARING  
74/661 .Plural prime movers selectively coupled to  
common output
- 2 123/179.1 (0 OR, 2 XR)  
Class 123 : INTERNAL-COMBUSTION ENGINES  
123/179.1 STARTING DEVICE
- 2 123/195A (0 OR, 2 XR)  
Class 123 : INTERNAL-COMBUSTION ENGINES  
123/195R FRAME CONSTRUCTION  
123/195A .Auxiliaries, brackets
- 2 123/58.1 (0 OR, 2 XR)  
Class 123 : INTERNAL-COMBUSTION ENGINES  
123/52.1 MULTIPLE CYLINDER

123/58.1 .Cylinders in-line

2 123/90.27 (0 OR, 2 XR)

Class 123 : INTERNAL-COMBUSTION ENGINES

123/90.1 POPPET VALVE OPERATING MECHANISM

123/90.27 .Overhead camshaft

2 180/185 (2 OR, 0 XR)

Class 180 : MOTOR VEHICLES

180/182 INCLUDING ONE OR MORE SKI-LIKE OR RUNNER  
MEMBERS180/183 .Member substitutable for wheel type support  
structure

180/184 ..With propulsion element of endless track typ

e

180/185 ...Track comprises substitute for or addition  
to propulsion element of traction wheel typ

e

2 180/220 (1 OR, 1 XR)

Class 180 : MOTOR VEHICLES

180/21 SPECIAL WHEEL BASE

180/218 .Having only two wheels

180/219 ..Arranged in tandem

180/220 ...Electrical-type motor

2 180/229 (1 OR, 1 XR)

Class 180 : MOTOR VEHICLES

180/21 SPECIAL WHEEL BASE

180/218 .Having only two wheels

180/219 ..Arranged in tandem

180/229 ...With means for cooling motor

2 180/308 (0 OR, 2 XR)

Class 180 : MOTOR VEHICLES

180/54.1 POWER

180/305 .Including traction motor of kind driven by  
noncompressible fluid received under pressure from a  
pump180/308 ..Having separate motor for each driven,  
surface-engaging member

2 192/91A (1 OR, 1 XR)

Class 192 : CLUTCHES AND POWER-STOP CONTROL

192/30R CLUTCHES

09777747\_CLSTITLES.txt

192/82R .Operators  
192/89.2 ..Spring engaged  
192/91R ...Fluid release  
192/91A ....Motor concentric with clutch shaft

2 280/212 (2 OR, 0 XR)

Class 280 : LAND VEHICLES  
280/29 WHEELED  
280/200 .Occupant propelled type  
280/210 ..With propulsion means  
280/212 ...Added or stored energy device

2 280/227 (0 OR, 2 XR)

Class 280 : LAND VEHICLES  
280/29 WHEELED  
280/200 .Occupant propelled type  
280/210 ..With propulsion means  
280/220 ...Movable occupant support  
280/221 ....Interconnected with propulsion means  
280/226.1 .....Movable seat  
280/227 .....And crank hanger

2 280/230 (0 OR, 2 XR)

Class 280 : LAND VEHICLES  
280/29 WHEELED  
280/200 .Occupant propelled type  
280/210 ..With propulsion means  
280/230 ...Plural power application

2 280/269 (1 OR, 1 XR)

Class 280 : LAND VEHICLES  
280/29 WHEELED  
280/200 .Occupant propelled type  
280/263 ..With steering  
280/267 ...Two-wheel controlled  
280/269 ....Stub axle

2 280/283 (0 OR, 2 XR)

Class 280 : LAND VEHICLES  
280/29 WHEELED  
280/200 .Occupant propelled type  
280/281.1 ..Frames and running gear  
280/283 ...Yielding

2 440/12 (2 OR, 0 XR)

Class 440 : MARINE PROPULSION  
440/11 POWERED FROM LAND VEHICLE SUPPORTED BY VESSEL

440/12                    .Land vehicle is two-wheel type

2 440/29                (1 OR, 1 XR)  
           Class    440 : MARINE PROPULSION  
           440/21        OPERATOR POWERED DRIVE FOR PROPELLING MEANS  
           440/26        .Rotary cranking arm  
           440/29        ..Having endless drive member

2 446/409                (1 OR, 1 XR)  
           Class    446 : AMUSEMENT DEVICES: TOYS  
           446/397        SOUNDING  
           446/409        .Including rolling or tumbling toy

2 446/429                (2 OR, 0 XR)  
           Class    446 : AMUSEMENT DEVICES: TOYS  
           446/429        DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FO

R

TOY VEHICLE

2 446/431                (0 OR, 2 XR)  
           Class    446 : AMUSEMENT DEVICES: TOYS  
           446/431        ROLLING OR TUMBLING (E.G., WHEELED)

2 474/78                (0 OR, 2 XR)  
           Class    474 : ENDLESS BELT POWER TRANSMISSION SYSTEMS OR  
                          COMPONENTS  
           474/69        CONTROL FOR VARIABLE INPUT TO OUTPUT  
                          SPEED-RATIO  
           474/78        .Including belt shiftable axially from one to  
                          another surface of stepped pulley or coaxia

1 pulleys  
 of

different diameter

2 474/79                (0 OR, 2 XR)  
           Class    474 : ENDLESS BELT POWER TRANSMISSION SYSTEMS OR  
                          COMPONENTS  
           474/69        CONTROL FOR VARIABLE INPUT TO OUTPUT  
                          SPEED-RATIO  
           474/78        .Including belt shiftable axially from one to  
                          another surface of stepped pulley or coaxi

al pulleys  
 of

different diameter

474/79                ..And pulley pivotally mounted to facilitate  
                          belt shift

2 474/80                (0 OR, 2 XR)

09777747\_CLSTITLES.txt

Class 474 : ENDLESS BELT POWER TRANSMISSION SYSTEMS OR  
COMPONENTS  
474/69 CONTROL FOR VARIABLE INPUT TO OUTPUT  
SPEED-RATIO  
474/78 .Including belt shiftable axially from one to  
another surface of stepped pulley or coaxi

al pulleys  
of

different diameter  
474/80 ..And including belt-shifter mechanism

2 474/902 (0 OR, 2 XR)

Class 474 : ENDLESS BELT POWER TRANSMISSION SYSTEMS OR  
COMPONENTS

474/902 PARTICULAR CONNECTION BETWEEN RIM AND HUB

2 477/109 (0 OR, 2 XR)

Class 477 : INTERRELATED POWER DELIVERY CONTROLS,  
INCLUDING ENGINE CONTROL

477/34 TRANSMISSION CONTROL

477/107 .Engine controlled by transmission

477/109 ..Diminution during transmission change